

## ICRF Plasma Production in TORE SUPRA: Analysis of Antenna Coupling and Plasma Properties

A.Lysoivan<sup>2</sup>, B.Beaumont<sup>1</sup>, A.Bécoulet<sup>1</sup>, S.Bremond<sup>1</sup>, E.Gauthier<sup>1</sup>, C.Gil<sup>1</sup>,  
A.Grosman<sup>1</sup>, R.Guirlet<sup>1</sup>, T.Hutter<sup>1</sup>, R.Koch<sup>2</sup>, L.Ladurelle<sup>1</sup>, G.Lombard<sup>1</sup>,  
P.Mollard<sup>1</sup>, I.Monakhov<sup>1\*</sup>, A.Romannikov<sup>1\*</sup>, D.Van Eester<sup>2</sup>  
and the TORE SUPRA Team

<sup>1</sup> - Association EURATOM-CEA sur la Fusion Contrôlée, CEA Cadarache,  
13108 Saint-Paul-lez-Durance, France

<sup>2</sup> - Laboratoire de Physique des Plasmas - Laboratorium voor Plasmafysica, ERM/KMS,  
EURATOM Association, Trilateral Euregio Cluster, 1000 Brussels, Belgium

\* - Permanent address: TRINITY, 142092 Troitsk, Russia

### 1. Introduction and motivation for RF plasma experiments

Wall conditioning techniques in the presence of high permanent magnetic field will certainly be required in the next generation superconducting fusion devices to minimize tritium retention and/or control of the impurity content in the vacuum vessel. For present and future tokamaks, RF plasma production in the ion cyclotron range of frequencies (ICRF) is mainly envisaged as an effective tool because of its high potential and large efficiency for wall conditioning in the presence of magnetic field [1-4]. An asset of the RF technique is the ability of conventional ICRH antennas with Faraday shield (FS) to produce reliably target plasma ( $10^{16} \text{ m}^{-3} < \bar{n}_{e0} < 10^{19} \text{ m}^{-3}$ ) in tokamaks without any changes in the hardware [5]. According to the theory of ICRF plasma production, the  $\tilde{E}_z$ -component of the antenna near RF field (along the total magnetic field) is responsible for neutral gas breakdown and initial plasma build-up [5,6]. This field is induced by the RF voltage difference between the antenna strap and box (side limiters) and by the RF voltage generated between the tilted rods of the FS [5]. Recent numerical modeling showed that the  $\tilde{E}_z$ -field near the antenna may extend further out in the toroidal direction due to the presence of poloidal bumpers [7].

Conventional ICRH antennas of the loop-type may have low coupling in the regime of RF discharges. The antenna-plasma coupling efficiency will be characterized by the ratio  $\eta = R_{pl} / (R_{pl} + R_v)$ , where  $R_v$  is the antenna vacuum resistance and  $R_{pl}$  is the resistance due to plasma loading.

Several ideas have been proposed how to improve coupling of the ICRH poloidal antennas in that particular case. The first one is to reduce the width of the evanescent layer at the edge. For fast wave (FW) propagation in a non-uniform plasma with parabolic density profile, the width of this layer  $\Delta r$  may be given in the form:

$$\Delta r/a \approx (1 - N_z^2) (\Omega - 1) / 2 N_A^2(0), \quad (1)$$

where  $a$  is the plasma radius,  $N_z = k_z c / \omega < 1$ ,  $\Omega = \omega / \omega_{ci} > 1$ ,  $N_A(0) = \omega_{pi}(0) / \omega_{ci}(0)$  is the Alfvén refractive index in the plasma core. It is clear from (1) that  $\Delta r$  becomes smaller at larger plasma density or lower toroidal magnetic field  $B_T$  (high harmonic FW regime (HHFW)). The dependence of  $R_{pl}$  on the two last parameters was studied in the RF plasma experiments on TEXTOR-94 [5] and was found in qualitatively good agreement with the wave vector  $k_r$  and  $\Delta r$  behavior predicted by a 1-D dispersion code [8].

Antenna coupling may also be improved in the regime of slow wave (SW) propagation ( $n_e \geq 3 \times 10^{13} \text{ m}^{-3}$  for  $f=47.9 \text{ MHz}$ ) by tilting poloidal antenna strap along the  $B_T$ -direction [9]. Tilting at small angles ( $\sim 1-2^\circ$ ) may be achieved by so-called "antenna magnetic rotation" as a result of superimposing the vertical magnetic field  $B_v$  on the toroidal one  $B_T$  [9].

A study of RF plasma production in the frequency range  $\omega \geq 2\omega_{ci}$  has been undertaken on TORE SUPRA taking into account antenna coupling predictions of theory and the

TEXTOR-94 database [5]. Two scenarios for RF discharges have been tested (fixed frequency of the RF generator): (i) operation with pure toroidal magnetic field, at standard and lower  $B_T$  and (ii) operation in the magnetic configuration with a small vertical ( $B_V$ ) field superimposed on  $B_T$  ( $B_V \ll B_T$ ).

## 2. Effect of $B_T$ variation on antenna coupling and RF plasma parameters

In this set of experiments, helium RF discharges were performed in the toroidal magnetic field range  $B_T = 2.43 \text{ T} - 3.85 \text{ T}$ . One double loop antenna (Q5) was used. Figure 1 shows a scenario of such RF discharges. Continuous He-flow into the vessel provided a pressure in the range  $p_{\text{He}} \approx 0.02\text{-}0.1 \text{ Pa}$ . A total RF power of 50-200 kW was applied to the antenna straps from two independent RF generators driven in phase at the frequency  $f=47.9 \text{ MHz}$  in the multi-pulse mode of operation ( $\tau_{\text{RF}} \approx 50 \text{ ms}$ ). Prompt and reliable RF plasma production is clearly seen (signal from central channel of the interferometer). Despite of He gas injection,  $H_\alpha$ -signal of high enough amplitude was also registered from all chords used for observation. It indicates the presence of large amounts of hydrogen isotopes in RF discharge due to desorption from the wall [2]. Both,  $R_{\text{pl}}$  and  $\bar{n}_e$  were roughly proportional to  $P_{\text{RF}}$ . The latter dependence is typical for weakly ionized plasmas.  $B_T$  scanning showed that RF plasmas with the central line averaged density up to  $\bar{n}_{e0} \approx 7 \times 10^{17} \text{ m}^{-3}$  were reliably produced in the mentioned range (Fig.2). An increase in antenna coupling of up to 23% (depending on  $P_{\text{RF}}$  and gas pressure) was obtained by decreasing  $B_T$ , in close agreement with the TEXTOR results [5]. However, no concomitant increase in line averaged density (like for small  $B_T$  decrease in TEXTOR) was also observed. The line averaged density profile was centrally flat at  $B_T = 3.09 \text{ T}$  and strongly shifted toward low magnetic field side (LFS) at lower  $B_T$  (Fig.3). To understand the results, a numerical analysis of dispersion curves for the TORE SUPRA RF plasma case has been undertaken using a 1-D dispersion code [8]. The code solves the dispersion relation  $D(\mathbf{k}, \mathbf{r})=0$  for Maxwellian plasmas, fully accounting for finite temperature effects. Taking into account very low temperature ( $T_e < 10 \text{ eV}$ ) and ionization degree ( $\sim 10\%$ ) in RF plasmas [2], the following ion species and its concentrations have been used in the calculations: (70-85)%  $\text{He}^+$  + (5-10)%  $\text{He}^{++}$  + (5-10)%  $\text{H}^+$  + (5-10)%  $\text{D}^+$ . The obtained dispersion diagrams show a presence of an ion-ion hybrid resonance (IIHR) due to conversion of FW into SW near the plasma core for high magnetic field ( $B_T = 3.09 \text{ T} - 3.85 \text{ T}$ ,  $n_{e0} = (3\text{-}6) \times 10^{17} \text{ m}^{-3}$ ,  $k_z \sim 1/R_0$ ). On decreasing the  $B_T$ -field, this resonance shifts to the high magnetic field side (HFS) and at  $B_T = 2.43 \text{ T}$ , the IIHR disappears and the FW is evanescent between HFS and  $r/a < -0.7$  (RF plasma radius was assumed to be  $a \approx 0.83 \text{ m}$ ). This could reasonably explain the shapes of the RF plasma density profiles in the tested range of  $B_T$ .

At even lower magnetic field ( $B_T = 1.7 \text{ T}$ ), FW and ion Bernstein waves (IBW) are propagative over the whole plasma cross-section. However, RF plasma production in TORE SUPRA did not succeed at  $B_T < 2.43 \text{ T}$ , contrasting with the TEXTOR database and the code predictions. A possible explanation of this phenomenon is the observed monotonic increase of the reflected power ( $>30\%$ ) with decreasing  $B_T$ , indicating a matching problem in the lower  $B_T$  range.

## 3. Influence of $B_V$ -field ( $B_V \ll B_T$ ) on antenna-plasma properties

In the second scenario ( $B_V \neq 0$ ), helium RF discharges were performed in a magnetic configuration with the magnetic field lines tilted by 1-2 degrees with respect to the horizontal. The applied vertical field was  $|B_V| = (6\text{-}12) \times 10^{-2} \text{ T}$  as compared to  $B_T = 3.09 \text{ T}$  or  $B_T = 3.85 \text{ T}$ . Figure 4 shows that RF voltage at the antenna  $V_{\text{ant}}$  slightly decreased and loading resistance  $R_{\text{ant}}$  increased in the presence of  $B_V$  for the given transmitted RF power  $P_{\text{tr}}$ . This behavior of the antenna parameters follows from the relation between antenna voltage and radiation resistance:

$$P_{\text{ant}} \approx V_{\text{ant}}^2 (R_{\text{pl}} + R_V) / 2X_{\text{ant}}^2 \approx P_{\text{tr}}, \quad (2)$$

where  $X_{\text{ant}} \approx \omega L_{\text{ant}} \gg (R_{\text{pl}} + R_{\text{v}})$ . The first experiments demonstrated a slight improvement in antenna coupling (up to 15%) at larger  $|B_{\text{v}}|$  and a dependence on the sign of  $B_{\text{v}}$  (Fig.5). Here  $R_{\text{n}}=R_{\text{pl}}$  at  $B_{\text{v}} \neq 0$  and  $R_0=R_{\text{pl}}$  at  $B_{\text{v}}=0$ , respectively. The observed asymmetry in the relative change of  $R_{\text{pl}}$  versus the sign of  $B_{\text{v}}$  may be reasonably explained by asymmetry in the FS geometry: the FS rods are tilted at fixed angle  $\sim +7^\circ$ .

ICRF plasma production in pure toroidal magnetic field is usually accompanied by the generation of intensive flux of energetic CX neutrals (which may play an essential role in the wall conditioning process) [2,3,5]. The fast hydrogen and deuterium atoms, registered by NPA so far, result from ion cyclotron acceleration ( $\omega=2\omega_{\text{CD}}=\omega_{\text{CH}}$ ). The power absorption in helium RF plasmas with multi-ion species was estimated using 1-D full wave kinetic code "VICE" [10,11] and the relation to the location of the ion cyclotron layer position was confirmed experimentally [5].

The preliminary analysis of the fast CX hydrogen and deuterium atoms escaping RF plasma showed a tendency to get higher perpendicular equivalent temperature of the fast ions and the presence of energetic CX neutrals in toroidal direction for the case with  $B_{\text{v}} \neq 0$  (Fig.6). In this case, the intensity of the toroidal flux of neutrals was comparable with that one in perpendicular direction. In ICRF discharges in pure toroidal magnetic field ( $B_{\text{v}}=0$ ), fast neutrals in the toroidal direction were not registered. One should note that superimposing  $B_{\text{v}}$  over  $B_{\text{T}}$  may improve not only antenna coupling, but plasma confinement properties as well. Particle and energy losses along the resulting magnetic field lines will be dominant in this magnetic configuration [6]. Better antenna coupling and/or changes in the magnetic confinement configuration resulting from the presence of  $B_{\text{v}}$ -component may modify the fast particle trajectories. The distribution function of fast ions was observed to be more isotropic in this configuration. This might improve ICRF-wall conditioning efficiency compared with the results in pure toroidal magnetic field [4].

#### 4. Conclusions

Two scenarios expected to lead to antenna coupling improvement have been successfully tested during RF plasma production experiments on TORE SUPRA using a standard ICRH antenna. At fixed transmitted power, antenna-plasma coupling efficiency was improved:

- up to 23% by operation at toroidal magnetic field values lower than the standard one (fixed frequency of the RF generator,  $f=47.9$  MHz);
- up to 15% by superimposing vertical magnetic field  $B_{\text{v}}$  on toroidal one  $B_{\text{T}}$  ( $B_{\text{v}} \ll B_{\text{T}}$ ).

The distribution function of fast ions resulting from ion cyclotron acceleration in ICRF plasmas was more isotropic in the presence of  $B_{\text{v}}$  ( $B_{\text{v}} \ll B_{\text{T}}$ ).

#### References

- [1] Esser H.G, et al., Journal of Nuclear Materials **241-243**, 861 (1997).
- [2] Gauthier E. and De la Cal E., Journal of Nuclear Materials **241-243**, 553 (1997).
- [3] De la Cal E. and Gauthier E., Plasma Phys. Control. Fusion **39**, 1083 (1997).
- [4] Esser H.G, et al., Journal of Nuclear Materials **266-269**, 240 (1999).
- [5] Lysoivan A.I., et al., Report LPP-ERM/KMS **114** (1998).
- [6] Lysoivan A.I., et al., Nucl. Fusion **32**, 1361 (1992).
- [7] S.Pécoul, et al. Proc. 13<sup>th</sup> Topical Conf. On Applications of Radio Frequency Power to Plasmas, Annapolis, 1999, Paper B15.
- [8] Van Eester D., Louis Y., Koch R., Pl. Phys. and Contr. Fusion **35**, 1189 (1993).
- [9] Lysoivan A.I., et al., Proc. 22<sup>nd</sup> EPS Conf. on CFPP, Bournemouth 1995, Vol.19C, Part III, p.341.
- [10] Fraboulet D., Ph.D.Thesis, Universite J.Fourier, Grenoble, 1996.
- [11] Fraboulet D., Becoulet A. and Nguyen F., submitted to Phys.Plasmas.




Fig.1. ICRF plasma production in helium: Q5-antenna in 0-phasing,  $P_{RF}=40-150$  kW,  $\tau_{RF}\approx 40-50$  ms,  $f=47.9$  MHz,  $B_T=3.09$  T.




Fig.4. Influence of the  $B_V$ -field ( $B_V=-1.2$  kG) on the antenna RF voltage and plasma loading resistance during RF plasma production at  $B_T=3.85$  T: (Q5 antenna left strap, vacuum losses in the strap  $R_V=0.15$  Ohm/m are included).




Fig.2. Central line-averaged RF plasma density  $n_{e0}$  and antenna-plasma coupling efficiency  $\eta$  versus toroidal magnetic field  $B_T$ : ( $P_{RF}\approx 150$  kW, other parameters are mentioned in Fig.1).




Fig.5. Relative changes in the Q5 antenna-plasma loading resistance in helium RF discharge at different sign and amplitude of the vertical magnetic field  $B_V$ : ( $B_{T1}=3.09$  T and  $B_{T2}=3.85$  T).




Fig.3. Modification of the line-averaged RF plasma density profile by variation of  $B_T$ : ( $P_{RF}\approx 150$  kW, other parameters are mentioned in Fig.1).




Fig.6. Energy distribution of the fast CX deuterium atoms escaping from ICRF plasma as a function of  $B_V$  superimposed on  $B_T$  ( $B_V=-1.2$  kG,  $B_T=3.85$  T).