

Development of the Persistent Actor Framework (PAF) version of the European Transport Simulator (ETS)¹

D. Coster¹, P. Strand², R. Coelho³, D. Yadykin², F. Poli⁴, T. Jonsson⁵, L. Veen⁶.

¹Max Planck Institute for Plasma Physics, Tokamak Physics, Garching bei München, Germany.

²Chalmers University of Technology, Department of Space- Earth and Environment, Gothenburg, Sweden.

³Universidade de Lisboa, Instituto de Plasmas e Fusão Nuclear- Instituto Superior Técnico, Lisboa, Portugal.

⁴ITER Organization, Science Division, St Paul Lez Durance, France.

⁵KTH, School of Electrical Engineering and Computer Science EECS- Electrical Engineering- Electromagnetic Engineering and Fusion Science, Stockholm, Sweden.


⁶Netherlands eScience Center, Amsterdam, The Netherlands.

The first version of the ETS was developed within the EFDA Work Package on Integrated Tokamak Modelling [ETS-2008, ETS-2010a, ETS2010b]. That version was essentially a Fortran workflow using Consistent Physical Objects (CPOs)[CPO-2010] to couple a number of codes providing the standard building blocks of a core plasma simulation (equilibrium codes, the calculation of sources and transport coefficients, and the transport solver). To allow for the inclusion of components in other languages, KEPLER [KEPLER-2006] was used as a coupling environment [ETS-2012, ETS-2013a, ETS-2013b, ETS-2014, ETS-2018, ETS-2019, ETS-2021a], and after some years of using CPOs, these were replaced by Interface Data Structures (IDSs) [IMAS-2015] [ETS-2020, ETS-2021b, ETS-2022, ETS-2024]. This has been in use for a number of years, but the decision has been made to look at other coupling frameworks. This contribution describes the development of the ETS-PAF, which uses the MUSCLE3 framework [MUSCLE3-2020] to couple the various physics modules (mostly in fortran, C or C++), together with python modules to implement some of the workflow logic. The workflow takes the form of a number of separate programs (currently about 60) that communicate IDSs to other programs via one-way communication channels (currently about 150) sending/receiving IDSs.


¹*This work has been carried out within the framework of the EUROfusion Consortium, funded by the European Union via the Euratom Research and Training Programme (Grant Agreement No 101052200 — EUROfusion). Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Commission. Neither the European Union nor the European Commission can be held responsible for them.*

Minimal changes are needed to the physics codes, and scalar, OpenMP, MPI and hybrid codes are seamlessly supported for the components, and the MUSCLE3 framework will ensure that separate models will be run in parallel if the dataflow allows it. Test workflows have been implemented for AUG, JET and ITER. A MUSCLE3 workflow is represented in a YAML file which describes the components of the workflow, the connections between these components, the resources required by these components, the actual program to be run to instantiate the components, and the settings to be used. The Persistent Actor Framework (PAF) adds some restrictions to the normal MUSCLE3 – the only data to be transferred between components are Interface Data Structures (IDS) [described in IMAS-2015]

A prototype of the ETS workflow (with no physics) is given by the figure on the right. Initial data is read from the database by “init”, serialized and then sent to “timeloop”. Until the run has finished, “timeloop” sends data to “convergenloop”; “convergenloop” sends IDSes to “work” and receives results back, and iterates until convergence. Once convergence has been achieved, “convergenloop” sends converged time-steps back to “timeloop”. Once all of the time-steps have been completed, “timeloop” sends final results to “finish”. In this no-physics version, “timeloop” performs a fixed number of time-steps, and “convergenloop” performs a fixed number of iterations. This workflow is one of the test cases run in the CI/CD pipeline at every commit.



A more complicated workflow is shown below, which shares some common features with the simple workflow above. To make the workflows more maintainable, separate sub-workflows have been created to implement the calculation of sources and transport coefficients, which are then “used” by the main ETS workflow. These are represented as pink and blue blocks in the diagram below (left).



The results on the above middle show a comparison of the predicted temperature and density profiles based on a simulation with RABBIT [RABBIT-2018] for NBI heating, TORBEAM [TORBEAM-2018] for ECRH, NCLASS [NCLASS-1997] for neoclassical transport and

Bohm-GyroBohm [BGB-1999] for anomalous transport. CHEASE [CHEASE-1995] was used to solve for the equilibrium, with a plasma boundary provided by the reference shot.

The ETS-PAF repository [https://ets.pages.eufus.psnc.pl/ets_paf/, soon to be open source], contains a collection of workflows, about 65 python actors, and scripts that can be used to visualize results. Documentation can be found at https://ets.pages.eufus.psnc.pl/ets_paf/ which contains information about the available workflows and actors, as well as tutorials. Most of the workflows rely on external physics actors written in Fortran or C/C++. Many of these actors are shared with the KEPLER version of the ETS, and can be made available as Kepler actors, Python actors or PAF actors using IMAS tools.

References

- [BGB-1999] Parail, V. V., Yu F. Baranov, C. D. Challis, G. A. Cottrell, B. Fischer, C. Gormezano, et al. "Predictive modelling of JET optimized shear discharges." *Nuclear Fusion* 39, no. 3 (1999): 429.
- [CHEASE-1995] Lütjens, Hinrich, Anders Bondeson, and Olivier Sauter. "The CHEASE code for toroidal MHD equilibria." *Computer Physics Communications* 97, no. 3 (1996): 219-260.
- [CPO-2010] Imbeaux, F., J.B. Lister, G.T.A. Huysmans, W. Zwingmann, M. Airaj, L. Appel, V. Basiuk, D. Coster, L.-G. Eriksson, and B. Guillerminet. 2010. 'A Generic Data Structure for Integrated Modelling of Tokamak Physics and Subsystems'. *Computer Physics Communications* 181 (6): 987–98. <https://doi.org/10.1016/j.cpc.2010.02.001> .
- [ETS-2008] Kalupin, D, J. F. Artaud, D. Coster, S. Glowacz, S. Moradi, G. Pereverzev, Stankiewicz, R., et al. 2008. 'Construction of the European Transport Solver under the European Integrated Tokamak Modelling Task Force'. In https://pure.mpg.de/rest/items/item_2142668/component/file_3374986/content .
- [ETS-2010a] Coster, David P., Vincent Basiuk, Grigori Pereverzev, Denis Kalupin, Roman Zagorksi, Roman Stankiewicz, Philippe Huynh, and Frédéric Imbeaux. 2010. 'The European Transport Solver'. *IEEE Transactions on Plasma Science* 38 (9): 2085–92. <https://doi.org/10.1109/TPS.2010.2056707> .
- [ETS-2010b] Basiuk, V, Ph Huynh, D Coster, F Imbeaux, D Kalupin, and G Pereverzev. 2010. 'European Transport Solver: First Results, Validation and Benchmark'. In 37th EPS Conference on Plasma Physics.
- [ETS-2012] Kalupin, D., V. Basiuk, P. Huynh, L. Alves, T. Aniel, J. F. Artaud, F. Imbeaux, et al. 2012. 'The European Transport Solver: An Integrated Approach for Transport Simulations in the Plasma Core', September. <https://www.osti.gov/etdeweb/biblio/22140444> . Preprint available at <https://scipub.euro-fusion.org/wp-content/uploads/2014/11/EFDC120606.pdf>
- [ETS-2013a] Kalupin, D., I. Ivanova-Stanik, I. Voitsekhovitch, J. Ferreira, D. Coster, L.L. Alves, Th. Aniel, et al. 2013. 'Numerical Analysis of JET Discharges with the European Transport Simulator'. *Nuclear Fusion* 53 (12): 123007. <https://doi.org/10.1088/0029-5515/53/12/123007> .
- [ETS-2013b] Figueiredo, ACA, I Voitsekhovitch, V Basiuk, J Ferreira, Ph Huynh, I Ivanova-Stanik, D Kalupin, et al. 2013. 'Modelling of JET Hybrid Scenarios with the European Transport Solver'. In 40th EPS Conference on Plasma Physics.
- [ETS-2014] Falchetto, G.L., D. Coster, R. Coelho, B.D. Scott, L. Figini, D. Kalupin, E. Nardon, et al. 2014. 'The European Integrated Tokamak Modelling (ITM) Effort: Achievements and First Physics Results'. *Nuclear Fusion* 54 (4): 043018. <https://doi.org/10.1088/0029-5515/54/4/043018> .

- [ETS-2018] Strand, P., D. Yadikin, J. Ferreira, A. Figueiredo, R. Coelho, E. Lerche, D. Van Eester, et al. 2018. 'Towards a Predictive Modelling Capacity for DT Plasmas: European Transport Simulator (ETS) Verification and Validation'. <https://nucleus.iaea.org/sites/fusionportal/Shared%20Documents/FEC%202018/fec2018-preprints/preprint0451.pdf>
- [ETS2019] Pokol, Gergo I., Soma Olasz, Boglarka Erdos, Gergely Papp, Matyas Aradi, Mathias Hoppe, Thomas Johnson, et al. 2019. 'Runaway Electron Modelling in the Self-Consistent Core European Transport Simulator'. *Nuclear Fusion* 59 (7): 076024. <https://doi.org/10.1088/1741-4326/ab13da>.
- [ETS-2020] Romanelli, M., R. Coelho, D. Coster, J. Ferreira, L. Fleury, S. Henderson, J. Hollocombe, et al. 2020. 'Code Integration, Data Verification, and Models Validation Using the ITER Integrated Modeling and Analysis System (IMAS) in EUROfusion'. *Fusion Science and Technology* 76 (8): 894–900. <https://doi.org/10.1080/15361055.2020.1819751>.
- [ETS-2021a] Huynh, P., E.A. Lerche, D. Van Eester, J. Garcia, T. Johnson, J. Ferreira, K.K. Kirov, et al. 2021. 'European Transport Simulator Modeling of JET-ILW Baseline Plasmas: Predictive Code Validation and DTE2 Predictions'. *Nuclear Fusion* 61 (9): 096019. <https://doi.org/10.1088/1741-4326/ac0b34>.
- [ETS-2021b] Romanelli, M., P. Strand, D. Coster, J. Ferreira, D. Yadikin, T. Jonsson, E. Fransson, et al. 2021. 'Predictive Multi-Physics Integrated Modelling of Tokamak Scenarios Using the ITER Integrated Modelling and Analysis Suite (IMAS) in Support of ITER Exploitation'. In 28th IAEA Fusion Energy Conference (FEC 2020).
- [ETS-2022] Gillgren, A., E. Fransson, D. Yadykin, L. Frassinetti, P. Strand, and Jet Contributors. 2022. 'Enabling Adaptive Pedestals in Predictive Transport Simulations Using Neural Networks'. *Nuclear Fusion* 62 (9): 096006. <https://doi.org/10.1088/1741-4326/ac7536>.
- [ETS-2024] Bensadon, Tomas, Mervi J. Mantsinen, Thomas Jonsson, Dani Gallart, Xavier Sáez, and Jordi Manyer. 2024. 'Analysis of ICRF Heating Schemes in ITER Non-Active Plasmas Using PION+ETS Integrated Modeling'. *Plasma* 7 (3): 517–30. <https://doi.org/10.3390/plasma7030028>.
- [IMAS-2015] Imbeaux, F., S.D. Pinches, J.B. Lister, Y. Buravand, T. Casper, B. Duval, B. Guillerminet, et al. 2015. 'Design and First Applications of the ITER Integrated Modelling & Analysis Suite'. *Nuclear Fusion* 55 (12): 123006. <https://doi.org/10.1088/0029-5515/55/12/123006>.
- [KEPLER-2006] Ludäscher, Bertram, Ilkay Altintas, Chad Berkley, Dan Higgins, Efrat Jaeger, Matthew Jones, Edward A. Lee, Jing Tao, and Yang Zhao. 2006. 'Scientific Workflow Management and the Kepler System'. *Concurrency and Computation: Practice and Experience* 18 (10): 1039–65. <https://doi.org/10.1002/cpe.994>.
- [MUSCLE3-2020] Veen L.E., Hoekstra A.G. (2020) 'Easing Multiscale Model Design and Coupling with MUSCLE3'. In: Krzhizhanovskaya V. et al. (eds) *Computational Science – ICCS 2020*. Lecture Notes in Computer Science, vol 12142. Springer, Cham. https://doi.org/10.1007/978-3-030-50433-5_33
- [NCLASS-1997] Houlberg, W. A., Ker-Chung Shaing, S. P. Hirshman, and M. C. Zarnstorff. "Bootstrap current and neoclassical transport in tokamaks of arbitrary collisionality and aspect ratio." *Physics of Plasmas* 4, no. 9 (1997): 3230-3242.
- [RABBIT-2018] Weiland, M., R. Bilato, R. Dux, B. Geiger, A. Lebschy, F. Felici, R. Fischer et al. "RABBIT: Real-time simulation of the NBI fast-ion distribution." *Nuclear Fusion* 58, no. 8 (2018): 082032.
- [TORBEAM-2018] Poli, Emanuele, A. Bock, M. Lochbrunner, Omar Maj, M. Reich, A. Snicker, Andreas Stegmeir et al. "TORBEAM 2.0, a paraxial beam tracing code for electron-cyclotron beams in fusion plasmas for extended physics applications." *Computer Physics Communications* 225 (2018): 36-46.